OSRAM

LEDambient Trunk Light





Universal LED trunk light with acceleration and brightness sensor

For higher visibility in everyday situations



Multi-function 2 in 1

Applicable as trunk and torch light



Easy car side fixation via magnet and additional mounting plate

Strong magnet for a quick attachment



2 years OSRAM guarantee1)1)For precise conditions refer to: www.osram.comam-guarantee

Powerful performance and exceptionally long service life

产品系列数据表



精确照明汽车内饰

Introducing the universal LEDambient Trunk Light, the perfect companion for your car's storage space. Packed with advanced features and designed to enhance your convenience, this versatile light will transform the way you use the trunk. Featuring an acceleration and brightness sensor, the trunk light boasts an automatic light function that activates as soon as you open the car trunk. Our light illuminates your trunk instantly, making it effortless to find what you need. With both automatic and manual functionality, you have complete control over the lighting. With a color temperature of up to 6,000K, the trunk light provides a bright and clear illumination, allowing you to see every detail in your trunk. Very practical: With its 2 in 1 multifunction, the light can be used as an inspection lamp and as a torch light. In addition, equipped with a rechargeable 1500mAh battery, the trunk light offers long-lasting performance. The included USB-C cable allows for convenient charging, ensuring you're always prepared. Thanks to the easy car side fixation via the magnet and additional mounting plate, an easy installation is included. Simply attach the light to your car's interior using the strong magnet or the included mounting plate, and you're ready to go. The powerful magnet ensures a secure attachment, so you never have to worry about the light falling or moving while you're on the road. Trust in the quality and durability of the universal LED trunk light - OSRAM provides a 2-year guarantee1). 1)For precise conditions refer to: www.osram.com/am-quarantee

产品系列数据表

技术参数

	Product informatio n	电参数		光度数据		尺寸和重量		
产品描述	Order reference	标称电压	标称功率	光通量	色温	产品重量	高度	
LEDambient Trunk Light	LEDINT106	3.7 V	30.00 W	40 lm	6000 K	100.00 g	63.0 mm	
			寿命		认证与标准	±		
产品描述	宽度	长度	Guarantee	使用寿 命 Tc	标准			
LEDambient Trunk Light	17.5 mm	108.0 mm	2 年	1000 h	CE			
	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)							
产品描述	Date of Decla		mary Article ntifier		idate List tance 1		Declaration No. in SCIP database	
LEDambient Trunk Light	07-03-2024	07-03-2024 4062		No declarable substances contained		No decl ned substan	arable ces contained	

产品系列数据表

下载数据

	文件
太	User instruction LEDambient TRUNK LIGHT
D	电影应用 LEDambient Trunk Light LEDINT106 Produkt Video DE
•	电影应用 LEDambient Trunk Light LEDINT106 Product Video IT

安全建议

For detailed application information, please refer to the product data sheet and the user instruction

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。