OSRAM

LEDriving HL VINTAGE H4/R2/H19

LEDriving high and low beam lamps



Warm White color temperature of 2,700

The precise halogen-like color temperature creates a perfect stylish old-fashioned look for your car



Up to +300% more brightness

Better visibility thanks to high lumen output: more light allows to see farther and therefore react sooner. Compared to minimum ECE R112 for H4/R2/H19.



4-year OSRAM guarantee

For precise conditions, please refer to www.osram.com/am-quarantee



High-performing LED retrofit lamp providing improved visibility even for old-designed and aged headlights

With up to +300% more brightness1), the OSRAM LEDriving HL Vintage retrofit lamp ensures optimum visibility and thus allowing drivers to recognize, obstacles and hazards sooner than conventional lamps. This LED retrofit lamp not only creates a stylish old fashioned look with a warm white color temperature of 2,700K but also offers reduced glaring thanks to an optimized light distribution thus avoids blinding other drivers on the racetrack. The lamps result in very stable electric behaviour even when installed on old electric circuits. Premium OSRAM quality and LED technology grant up to 5 times more lifetime (compared to traditional halogen bulbs). The pair of lamps comes with a 4-year OSRAM guarantee2). The LEDriving HL Vintage high and low beam lamps by OSRAM replace conventional halogen lamps and are 12V compatible. With the latest LED technology and very compact design, these lamps allow a high compatibility and an easy installation for cars with the respective halogen lamp types. Drivers can enjoy the advantages of the LED technology without high temperature, without UV emission, lower current absorption and longer lifetime in the headlights and with no impact on the old timer's aesthetics.1) compared to ECE R112, for R2/H4/H192) For precise guarantee conditions please refer to www.osram.com/am-quaranteeThese products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

产品数据表

技术参数

Product information

Order reference	64193DWVNT
Product type (off-road vs. on-road)	Off-road ≙ H4/R2/H19
Application (Category and Product specific)	Mainly used for Low Beam, High Beam and Fog light applications

电参数

功率输入	14/14 W
标称电压	12.0 V
标称功率	14.00 W
测试电压	13.2 V
输入功率容许偏差	±20 %

光度数据

光通量	1400/1100 lm
光通量容许偏差	±20 %
色温	2700 K
LED 光色	暖白色

尺寸和重量

长度	80.2 mm
直径	14.0 mm
产品重量	80.00 g

寿命

使用寿命 Tc	5000 h
Guarantee	4 年

功能

特定分类

Order reference	64193DWVNT
-----------------	------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Date of Declaration	27-02-2024

产品数据表

Primary Article Identifier	4062172384834	
Declaration No. in SCIP database	In work	

物流数据

产品代码	产品描述	包装单位(件/单位	尺寸(长x宽x高)	体积	毛重
4062172384834	LEDriving HL VINTAGE ≙ H4/R2/H19	MBH 2	142 mm x 142 mm x 80 mm	1.61 dm³	413.00 g
4062172384841	LEDriving HL VINTAGE ≙ H4/R2/H19	箱 8	303 mm x 159 mm x 193 mm	9.30 dm³	1912.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时,按一个或多个整件数下 单。

下载数据

	文件
人	User instruction LEDriving HL VINTAGE
7	小册子 LEDriving Retrofits - Exchange overview (EN)

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

