

LEDiving HLT BRIGHT H1

LEDiving high and low beam lamps for truck



Cool white color temperature of 6,000 K

日光效果下视野更好



超高亮度

照射距离更远，驾驶人员可以反应更迅速。标志、障碍和危险可以很快被识别出来



LED replacement for conventional H1 high and low beam lamps

通过优化光分布减少眩光



H1 LED replacement for 24V

LEDiving HLT BRIGHT replacement lamps offer a modern and intense light with a color temperature of up to 6,000 Kelvin. These replacement lamps are suitable for conventional H1 high and low beam lamps. LEDiving HLT BRIGHT for high and low beam off-road applications are 24 V compatible and stand out with superior brightness, high compatibility, easier installation due to integrated driver and no radio disturbance. The pair of lamps comes with a 4-year OSRAM guarantee. For precise guarantee conditions please refer to www.osram.com/am-guarantee. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

产品系列数据表

技术参数

产品描述	Product information			电参数		
	Order reference	Product type (off-road vs. on-road)	Application (Category and Product specific)	功率输入	标称电压	标称功率
LEDriving HLT BRIGHT \cong H1	64155DWB RT	Off-road \cong H1	Mainly used for Low Beam, High Beam and Fog light applications	13 W	24.0 V	13.00 W



产品描述	输入功率		光度数据		尺寸和重量		寿命
	输入功率容许偏差	测试电压	光通量	光通量容许偏差	长度	直径	使用寿命 Tc
LEDriving HLT BRIGHT \cong H1	$\pm 20\%$	28.0 V	1500 lm	$\pm 20\%$	76.2 mm	11.8 mm	2000 h

产品描述	更多的产品数据	功能	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	灯头 (标准名称)	Technology	Date of Declaration	Primary Article Identifier
LEDriving HLT BRIGHT \cong H1	P14.5s	LED	29-02-2024	4062172379755

产品描述	Declaration No. in SCIP database
LEDriving HLT BRIGHT \cong H1	In work

产品系列数据表

下载数据

文件	
	User instruction LEDriving HLT BRIGHT
	小册子 LEDriving Retrofits - Exchange overview (EN)

安全建议

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

应用建议

更多详细应用信息和图形, 请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。