OSRAM

Flush mount WL VX100-FL



Flood Beam Pattern

For a wide and broad light distribution



Up to 45 m long beam

See and be seen with OSRAM



Robust and vibration resistant

Specially designed for demanding work environments and rough offroad terrain



IP & IK protection classes

Tested and validated in a DINcertified environmental simulation laboratory regarding extreme external influences





Powerful LED working lights

Discover the versatility of the OSRAM LEDriving Flush Mount WL VX100-FL for powerful near-field and far-field illumination at the front, rear or side of your vehicle. The working light combines affordability with exceptional performance, quality and functionality. With a luminous flux of up to 600lm and a flood beam pattern with a wide and broad light distribution, the working light is ideal for illuminating near- and far-field areas, such as campsites, work areas or construction sites. Thanks to the lightweight rugged construction and sleek shape, the working light seamlessly integrates into the vehicle's design, offering enhanced visibility without compromising on style. With a light beam reaching up to 45 meters and a light color of 6500 Kelvin, it ensures clear visibility even in the darkest conditions. The working light is compatible with both 12V and 24V electrical systems, making them suitable for a wide range of vehicles including trucks, agricultural machinery, construction vehicles, caravans, guads and off-road vehicles1). Whether for demanding work environments, camping trips or off-road adventures, the LED Flush Mount offers versatile lighting solutions tailored to various driving scenarios. Equipped with a shatterproof polycarbonate lens and aluminum die-cast housing, the LEDriving Flush Mount WL VX100-FL is robust and vibration resistant to withstand the harshest conditions. It has been tested and validated with the highest IP-Protection Classes IP6K8 & IP6K9K in our DIN certified environmental simulation laboratory for extreme external influences regarding water, dust, impacts, heat, cold and permanent vibration. In addition, OSRAM provides a 2-year guarantee on the product2).1) Additional working lights without ECE approval for use as work lights are approved for use on any vehicle according to German Road Traffic Licensing Regulations (StVZO) §52 (7). However, they must not be used and switched on while driving. In addition, individual special regulations, and laws of countries outside Germany must be observed.2) For precise conditions refer to: www.osram.com/am-quarantee

技术参数

	1	ı		ı		
	Product information	General Product Information		电参数		
产品描述	Application (Category and Product specific)	Order reference		标称电压		标称功率
Flush Mount WL VX100-FL 1)	Working light application	LEDFLUSH101-FL		12/24 V 6 W		
	光度数据	LED 模块信息	寿命		功能	认证与标准
产品描述	光通量	模块LED颗粒 数	使用 ^灵 命 Tc	-	Technology	防护类型
Flush Mount WL VX100-FL 1)	600 lm	2	5000	hr l	LED ²⁾	IP6K8/IP6K9K
		物流数据	物流数据 Environmental & Regulat Information according Art Regulation (EC) 1907/20		ing Art. 33 of EU	
产品描述	标准	商品编码 [PICOS]		Date of Declaration		Declaration No. in SCIP database
Flush Mount WL VX100-FL 1)	ECE R10	85122000900		26-0	6-2024	In work

¹⁾ Beam Pattern: Flood

²⁾ Light-emitting diode application

下载数据

	文件
太	User instruction LEDriving Flush Mount WL VX100-FL LEDFLUSH101-FL
D	Movie application LEDriving D and W Image Video Bringing light to life (EN)
•	Movie application LEDriving Driving and Working Lights Reference Video (EN)
•	Movie application OSRAM LEDdriving and working lights Imagefilm (EN)
D	Movie application OSRAM Quality Testing LEDriving working and driving lights (EN)

安全建议

For detailed application information, please refer to the product data sheet and the user instruction

法律建议

2) For precise conditions please refer to: www.osram.com/am-guarantee

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。