

# Wire Harness AX 2LS



### Connection of two light sources

Wire harness suitable for the installation of two light sources with one lighting function of the OSRAM LEDriving driving and working lights for 12 V vehicles



### OnOff switch integrated

For installation in the vehicles cabin to switch the OSRAM LEDriving working lights on or off as required



### Easy Installation

For easy installation of OSRAM LEDriving driving and working lights



### Bringing light to life with OSRAM LEDriving driving and working lights

To support the installation of the OSRAM LEDriving driving and working lights, OSRAM has developed a special series with suitable accessories for them. With the OSRAM Wire Harness AX 2LS, the OSRAM LEDriving driving and working lights, can now be installed quickly and easily on the appropriate vehicle. The OSRAM Wire Harness AX 2LS is a wire harness that is suitable for the installation of two light sources with one lighting function. It also has an integrated on/off switch that can be installed in the vehicles cabin to switch the OSRAM LEDriving working lights on or off as required. The switch is only to be used for the OSRAM LEDriving working lights. The OSRAM Wire Harness AX 2LS is suitable for 12V vehicles. OSRAM also offers a 2-year guarantee<sup>1)</sup>.

## 产品数据表

### 技术参数


#### Product information

Order reference	LEDDL ACC 102
-----------------	---------------

#### 电参数

标称电压	12.0 V
------	--------

#### 尺寸和重量



产品重量	348.00 g
长度	0.0 mm

#### 寿命

Guarantee	2 年
-----------	-----

#### 特定分类

Order reference	LEDDL ACC 102
-----------------	---------------

#### 物流数据

商品编码	85444290900
------	-------------

#### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	16-05-2024
Primary Article Identifier	4062172147729
Declaration No. in SCIP database	In work





### 物流数据

## 产品数据表

产品代码	产品描述	包装单位 ( 件/单位 )	尺寸 ( 长 x 宽 x 高 )	体积	毛重
4062172147729	Wire Harness AX 2LS	纸盒 1	175 mm x 82 mm x 177 mm	2.52 dm <sup>3</sup>	398.00 g
4062172147736	Wire Harness AX 2LS	箱 8	362 mm x 335 mm x 190 mm	23.04 dm <sup>3</sup>	3629.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时，按一个或多个整件数下单。

## 下载数据

文件
 User instruction LEDriving, Wire Harness AX 2LS
 电影应用 OSRAM Quality Testing LEDriving working and driving lights (EN)
 电影应用 OSRAM LEDdriving and working lights Imagefilm (EN)
 电影应用 LEDriving Driving and Working Lights Reference Video (EN)

### Legal advice:

1) Precise terms and conditions at: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.

### 应用建议

更多详细应用信息和图形, 请参阅产品数据表。

### 免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

# OSRAM